

# References

- ADAMS, E. (2000). Designing need-based AI for virtual gorillas. *Gamasutra*, [http://www.gamasutra.com/features/20001222/adams\\_01.htm](http://www.gamasutra.com/features/20001222/adams_01.htm). Referred to on p. 42
- AHN, H. & PICARD, R.W. (2006). Affective cognitive learning and decision making: The role of emotions. In *Agent Construction and Emotions (ACE 2006): Symposium at the 18th European Meeting on Cybernetics and Systems Research (EMCSR 2006)*, [April, Vienna, Austria], Austrian Society for Cybernetic Studies, Vienna, Austria. Referred to on p. 57, 58, 86
- ANDRADE, G., RAMALHO, G., SANTANA, H. & CORRUBLE, V. (2005). Automatic computer game balancing: A reinforcement learning approach. In *Proceedings of the Fourth International Joint Conference on Autonomous Agents and Multi Agent Systems (AAMAS 2005)*, [July, Utrecht, Netherlands], 1111–1112, ACM-SIGART, New York, USA. Referred to on p. 46
- ANDRÉ, E., KLESEN, M., GEBHARD, P., ALLEN, S. & RIST, T. (1999). Integrating models of personality and emotions into lifelike characters. In A. Paiva & C. Martinho, eds., *Proceedings of the Workshop on Affect in Interactions: Towards a New Generation of Computer Interfaces*, [October, Sienna, Italy], 3rd I3 Annual Conference, 136–149. Referred to on p. 9, 27, 50, 51, 52, 53, 54, 55
- ANDRÉ, E., RIST, T., VAN MULKEN, S., KLESEN, M. & BALDES, S. (2000). The automated design of believable dialogue for animated presentation teams. In J. Cassell, J. Sullivan, S. Prevost & E. Churchill, eds., *Embodied Conversational Agents*, 220–255, MIT Press, Cambridge, Massachusetts, USA. Referred to on p. 50, 51
- BAKKES, S. & SPRONCK, P. (2006). Gathering and utilising domain knowledge in commercial computer games. In P.Y. Schobbens, W. Vanhoof & G. Schwanen,

## REFERENCES

---

- eds., *Proceedings of the 18th Belgium-Netherlands Conference on Artificial Intelligence (BNAIC 2006)*, [October, University of Namur, Belgium], 35–42, BNAIC, The Netherlands. Referred to on p. 47, 48, 49, 187
- BALL, G. & BREESE, J. (2000). Emotion and personality in a conversational agent. In J. Cassell, J. Sullivan, S. Prevost & E. Churchill, eds., *Embodied Conversational Agents*, 189–219, MIT Press, Cambridge, Massachusetts, USA. Referred to on p. 55
- BANDURA, A. (1977). *Social Learning Theory*. Prentice-Hall, New Jersey, USA. Referred to on p. 9, 10, 33, 34, 35, 71, 72
- BARTNECK, C. (2002). Integrating the OCC model of emotions in embodied characters. In *Proceedings of the Workshop on Virtual Conversational Characters: Applications, Methods and Research Challenges*, [November, Melbourne, Australia], HF 2002: Human Factors Conference. Referred to on p. 28
- BEVACQUA, E., MANCINI, M. & PELACHAUD, C. (2008). A listening agent exhibiting variable behaviour. In H. Prendinger, J. Lester & M. Ishizuka, eds., *Proceedings of 8th International Conference on Intelligent Virtual Agents (IVA 2008)*, [September, Tokyo, Japan], vol. 5208 of *Lecture Notes in Artificial Intelligence*, 262–269, Springer Berlin / Heidelberg, Berlin, Germany. Referred to on p. 55
- BLUMBERG, B. & GALYEAN, T. (1997). Multi-level control for animated autonomous agents: Do the right thing...oh, not that. In R. Trappl & P. Petta, eds., *Creating Personalities for Synthetic Actors: Towards Autonomous Personality Agents*, vol. 1195 of *Lecture Notes in Artificial Intelligence*, 74–82, Springer-Verlag, Germany. Referred to on p. 62
- BLUMBERG, B., DOWNIE, M., IVANOV, Y., BERLIN, M., JOHNSON, M.P. & TOMLINSON, B. (2002). Integrated learning for interactive synthetic characters. In *SIGGRAPH '02: Proceedings of the 29th Annual Conference on Computer Graphics and Interactive Techniques*, [July, San Antonio, Texas], 417–426, ACM Press, New York, USA. Referred to on p. 12, 50, 56, 61, 63, 64
- BOZINOVSKI, S. (2002). Motivation and emotion in anticipatory behavior of consequence driven systems. In *The Workshop of Adaptive Behavior in Anticipatory Learning Systems 2002 (ABiALS 2002)*, [August, Edinburgh, Scotland], International So-

- ciety for Adaptive Behavior (ISAB), Massachusetts, USA. Referred to on p. 57, 58
- BOZINOVSKI, S. (2003). Anticipatory driven artificial personality: Building on lewin and loehlin. In M. Butz, O. Sigaud & P. Gérard, eds., *Anticipatory Behaviour in Adaptive Learning Systems*, vol. 2684/2004 of *Lecture Notes in Computer Science*, 133–150, Springer, Berlin, Germany. Referred to on p. 58, 59
- BRAUBACH, L., POKAHR, A., MOLDT, D. & LAMERSDORF, W. (2004). Goal representation for BDI agent systems. In *Programming Multi-Agent Systems: Proceedings of the Second International Workshop ProMAS 2004*, [July, New York, USA], vol. 3346/2005 of *Lecture Notes in Computer Science*, 44–65, Springer Berlin / Heidelberg, Berlin, Germany. Referred to on p. 25, 74
- BUCZAK, A.L., GREENE, K., COOPER, D.G., CZAJKOWSKI, M. & HOFFMAN, M.O. (2005). A cognitive agent architecture optimized for adaptivity. In *Artificial Neural Networks in Engineering (ANNIE 2005)*, [November, St. Louis, Missouri, USA], ASME Press, New York, USA. Referred to on p. 50, 60, 61
- BURKE, R. & BLUMBERG, B. (2002). Using an ethologically-inspired model to learn apparent temporal causality for planning in synthetic creatures. In *The First International Joint Conference on Autonomous Agents and Multi-Agent Systems (AAMAS 2002)*, [July, Bologna, Italy], 326–333, ACM Press, New York, USA. Referred to on p. 62, 64
- CAMPOS, A.M.C., SANTOS, E.B., CANUTO, A.M.P., SOARES, R.G. & ALCHIERI, J.A.C. (2006). A flexible framework for representing personality in agents. In *AAMAS '06: Proceedings of the Fifth International Joint Conference on Autonomous Agents and Multiagent Systems*, [May, Hakodate, Japan], 97–104, ACM, New York, USA. Referred to on p. 51, 55, 56, 90
- CASPI, A. & ROBERTS, B.W. (1999). Personality continuity and change across the life course. In L.A. Pervin & O.P. John, eds., *Handbook of Personality: Theory and Research*, 300–326, The Guilford Press, New York, USA, 2nd edn. Referred to on p. 36, 66, 145

## REFERENCES

---

- CERVONE, D. & PERVIN, L.A. (2008). *Personality: Theory and Research*. John Wiley & Sons, Inc., New Jersey, USA, 10th edn. Referred to on p. 9, 10, 32, 33, 34, 98
- CHAMPANDARD, A.J. (2007). Game AI innovation in Fable 2. <http://aigamedev.com/coverage/innovation-fable-2>. Referred to on p. 45
- CHO, K., IKETANI, N., KIKUCHI, M., NISHIMURA, K., HAYASHI, H. & HATTORI, M. (2008). BDI model-based crowd simulation. In H. Prendinger, J. Lester & M. Ishizuka, eds., *Proceedings of 8th International Conference on Intelligent Virtual Agents (IVA 2008)*, [September, Tokyo, Japan], vol. 5208 of *Lecture Notes in Artificial Intelligence*, 364–371, Springer Berlin / Heidelberg, Berlin, Germany. Referred to on p. 41
- CLARKE, P. (2005). Sims on steroids: researchers to study society of computer-based agents. *EETimes Online*, <http://www.eetimes.com/showArticle.jhtml?articleID=164902452>. Referred to on p. 44
- CLONINGER, S.C. (2008). *Theories of Personality: Understanding Persons*. Pearson Education (Prentice Hall), New Jersey, USA, 5th edn. Referred to on p. 32, 33, 35, 90
- CODDINGTON, A.M. & LUCK, M. (2004). A motivation-based planning and execution framework. *International Journal on Artificial Intelligence Tools*, **13**(1), 5–25. Referred to on p. 25, 26
- DA SILVA CORRÊA PINTO, H. & ALVARES, L.O. (2005). Extended behavior networks and agent personality: Investigating the design of character stereotypes in the game Unreal Tournament. In T. Panayiotopoulos, J. Gratch, R. Aylett, D. Ballin, P. Olivier & T. Rist, eds., *Proceedings of Intelligent Virtual Agents, 5th International Working Conference, (IVA 2005)*, [September, Kos, Greece], vol. 3661 of *Lecture Notes in Computer Science*, 418–429, Springer, Berlin, Germany. Referred to on p. 43
- DAMASIO, A. (1994). *Descartes' Error: Emotion, Reason and the Human Brain*. Penguin Books, London, England. Referred to on p. 10, 19, 36, 37, 59, 72, 76, 84, 88, 89

- DAUTENHAHN, K. (1999). The lemur's tale - Story-telling in primates and other socially intelligent agents. In *Proceedings AAAI Fall Symposium 1999: 'Narrative Intelligence'*, [November, North Falmouth, Massachusetts], AAAI Press, Menlo Park, California, USA. Referred to on p. 50
- DIAS, J. & PAIVA, A. (2005). Feeling and reasoning: A computational model for emotional characters. In *Progress in Artificial Intelligence, 12th Portuguese Conference on Artificial Intelligence, EPIA 2005*, [December, Covilhã, Portugal], vol. 3808, 127–140, Springer, Berlin, Germany. Referred to on p. 50, 52, 53, 54, 55, 97
- DIAS, J., PAIVA, A. & VALA, M. (2005). Can users feel sorry for autonomous synthetic characters? In C. Pelachaud, E. André, S. Kopp & Z. Ruttkay, eds., *Proceedings of the Workshop on Creating Bonds with Embodied Conversational Agents (Humanoids)*, [July, Utrecht, Netherlands], The Fourth International Joint Conference on Autonomous Agents and Multi Agent Systems (AAMAS 2005), 58–61, ACM-SIGART, New York, USA. Referred to on p. 27, 54
- D'INVERNO, M., LUCK, M., GEORGEFF, M.P., KINNY, D. & WOOLDRIDGE, M. (2004). The dMARS architecture: A specification of the distributed multi-agent reasoning system. *Autonomous Agents and Multi-Agent Systems*, **9**(1-2), 5–53. Referred to on p. 23
- DOYLE, P. (2002). Believability through context using “knowledge in the world” to create intelligent characters. In *AAMAS '02: Proceedings of the First International Joint Conference on Autonomous Agents and Multiagent Systems*, [July, Bologna, Italy], 342–349, ACM Press, New York, USA. Referred to on p. 44
- DRIESENS, K. & DŽEROSKI, S. (2004). Integrating guidance into relational reinforcement learning. *Machine Learning*, **57**, 271–304. Referred to on p. 57
- EGGES, A., KSHIRASAGAR, S. & MAGNENAT-THALMANN, N. (2003). A model for personality and emotion simulation. In *Knowledge-Based Intelligent Information and Engineering Systems (KES2003)*, [September, University of Oxford, United Kingdom], 453–461, Springer, Berlin, Germany. Referred to on p. 54

## REFERENCES

---

- EGGES, A., KSHIRSAGAR, S. & MAGNENAT-THALMANN, N. (2004). Generic personality and emotion simulation for conversational agents. *Computer Animation and Virtual Worlds*, **15**, 1–13. Referred to on p. 27, 54
- ELLINGER, B. (2008). Artificial personality: A personal approach to AI. In S. Rabin, ed., *AI Game Programming Wisdom 4*, 17–26, Charles River Media (Course Technology: Cengage Learning), Massachusetts, USA. Referred to on p. 13, 44
- EVANS, R. (2002). Varieties of learning. In S. Rabin, ed., *AI Game Programming Wisdom*, 567–578, Charles River Media Inc, Hingham, Massachusetts, USA. Referred to on p. 45
- FRANCIS, A., JR., MEHTA, M. & RAM, A. (2010). Emotional memory and adaptive personalities. In J. Vallverdú & D. Casacuberta, eds., *Handbook of Research on Synthetic Emotions and Sociable Robots: New Applications in Affective Computing and Artificial Intelligence*, ICI Global, Hershey, Pennsylvania, USA, To Appear. Available from: <http://www.cc.gatech.edu/faculty/ashwin/papers/er-08-10.pdf>. Referred to on p. 51, 52, 56, 57
- FREEMAN, D. (2004). Creating emotion in games: The craft and art of Emotioneering™. *Computers in Entertainment*, **2**(3), 15. Referred to on p. 41
- FRENCH, M. (2007). The crying game. <http://www.developmag.com/interviews/39/The-Crying-Game>. Referred to on p. 41
- FUNGE, J. (2000). Cognitive modeling for games and animation. *Communications of the ACM*, **43**(7), 40–48. Referred to on p. 42
- GADANHO, S. & HALLAM, J. (2001). Emotion-triggered learning in autonomous robot control. In D. Cañamero & P. Petta, eds., *Grounding Emotions in Adaptive Systems - A Special Issue of Cybernetics and Systems*, vol. 32, 531–559, Taylor and Francis, London, England. Referred to on p. 61
- GADANHO, S.C. (2002). Emotional and cognitive adaptation in real environments. In *Agent Construction and Emotions (ACE) 2002: A Symposium at the 16th European Meeting on Cybernetics and Systems Research*, [April, Vienna, Austria], Austrian Society for Cybernetic Studies, Vienna, Austria. Referred to on p. 50

- GADANHO, S.C. (2003). Learning behavior-selection by emotions and cognition in a multi-goal robot task. *Journal of Machine Learning Research*, **4**, 385–412. Referred to on p. 54, 59, 61, 125
- GADANHO, S.C. & HALLAM, J. (1998). Exploring the role of emotions in autonomous robot learning. In D. Cañamero, ed., *Emotional and Intelligent: The Tangled Knot of Cognition*, 84–89, AAAI Press, Menlo Park, California, USA. Referred to on p. 57, 61
- GLENDE, A. (2004). Agent design to pass computer games. In *ACM-SE 42: Proceedings of the 42nd annual Southeast regional conference*, [April, Huntsville, Alabama], 414–415, ACM Press, New York, USA. Referred to on p. 30
- GRATCH, J. & MARSELLA, S. (2004). A domain-independent framework for modeling emotion. *Journal of Cognitive Systems Research*, **5**, 269–306. Referred to on p. 27, 53, 55
- GRATCH, J. & MARSELLA, S. (2005). Lessons from emotion psychology for the design of lifelike characters. *Applied Artificial Intelligence*, **19**(3-4), 215–233. Referred to on p. 28
- GREENE, K., COOPER, D.G., BUCZAK, A.L., CZAJKOWSKI, M., VAGLE, J.L. & HOFMANN, M.O. (2005). Cognitive agents for sense and respond logistics. In S.G. Thompson & R. Ghanea-Hercock, eds., *Defence Applications of Multi-Agent Systems International Workshop, DAMAS 2005*, [July, Utrecht, Netherlands], vol. 3890/2006 of *Lecture Notes in Computer Science*, 104–120, Springer Berlin/Heidelberg, Berlin, Germany. Referred to on p. 53, 60, 61
- HAYES-ROTH, B. & DOYLE, P. (1998). Animate characters. *Autonomous Agents and Multi-Agent Systems*, **1**(2), 195–230. Referred to on p. 29
- HENNINGER, A.E., JONES, R.M. & CHOWN, E. (2003). Behaviors that emerge from emotion and cognition: implementation and evaluation of a symbolic-connectionist architecture. In *AAMAS '03: Proceedings of the second international joint conference on Autonomous agents and multiagent systems*, [July, Melbourne, Australia], 321–328, ACM Press, New York, USA. Referred to on p. 29, 54

## REFERENCES

---

- HOWDEN, N., RÖNNQUIST, R., HODGSON, A. & LUCAS, A. (2001). JACK intelligent agents - Summary of an agent infrastructure. In *Workshop on Infrastructure for Agents, MAS, and scalable MAS; at the 5th International Conference on Autonomous Agents (Agents '01)*, [May, Montreal, Canada], Referred to on p. 24, 98
- HUBER, M.J. (1999). JAM: A BDI-theoretic mobile agent architecture. In *Proceedings of Autonomous Agents Conference 1999*, [May, Seattle, Washington, USA], 236–243, ACM Press, New York, USA. Referred to on p. 24
- IMBERT, R. & DE ANTONIO, A. (2000). The bunny dilemma: Stepping between agents and avatars. In A. Nijholt, D. Heylen & K. Jokinen, eds., *Proceedings of the 17th Twente Workshop on Language Technology*, [October, Enschede, Netherlands], University of Twente, Enschede, Netherlands. Referred to on p. 43
- ISLA, D., BURKE, R.C., DOWNIE, M. & BLUMBERG, B. (2001). A layered brain architecture for synthetic creatures. In *International Joint Conference on Artificial Intelligence (IJCAI)*, [August, Seattle, Washington, USA], 1051–1058, Morgan Kaufmann, San Francisco, California, USA. Referred to on p. 12, 61, 62, 64
- JAN, D. & TRAUM, D.R. (2005). Dialog simulation for background characters. In T. Panayiotopoulos, J. Gratch, R. Aylett, D. Ballin, P. Olivier & T. Rist, eds., *Proceedings of Intelligent Virtual Agents, 5th International Working Conference, (IVA 2005)*, [September, Kos, Greece], vol. 3661 of *Lecture Notes in Computer Science*, 65–74, Springer, Berlin, Germany. Referred to on p. 29, 55
- JOHNS, M. & SILVERMAN, B.G. (2001). How emotions and personality effect the utility of alternative decisions: A terrorist target selection case study. In *Tenth Conference on Computer Generated Forces and Behavioral Representation*, [May, Norfolk, Virginia, USA], SISO (IEEE), Orlando, Florida, USA. Referred to on p. 29, 52, 53
- JOHNSON, W.L., RICKEL, J.W. & LESTER, J.C. (2000). Animated pedagogical agents: Face-to-face interactions in interactive learning environments. *International Journal of Artificial Intelligence in Education*, **11**, 47–78. Referred to on p. 11
- JONES, C. (1994). *Chuck Amuck: The Life and Times of an Animated Cartoonist*. Farrar, Straus and Giroux, New York, USA, 4th edn. Referred to on p. 9



## REFERENCES

---

- KIRBY, N. (2005). Moderator's report AI roundtables 2005. <http://www.gameai.com/cgdc05observations.woodcock.html>. Referred to on p. 45
- KLUCKHOHN, C. & MURRAY, H. (1953). Personality formation: The determinants. In C. Kluckhohn & H. Murray, eds., *Personality in Nature, Society and Culture*, 53–67, Knopf, New York, USA, 2nd edn. Referred to on p. 31, 100
- KRÜMPELMANN, P., THIMM, M., RITTERSKAMP, M. & KERN-ISBERNER, G. (2008). Belief operations for motivated BDI agents. In Padgham, Parkes, Müller & Parsons, eds., *AAMAS '08: Proceedings of the 7th International Joint Conference on Autonomous Agents and Multiagent Systems*, [May, Estoril, Portugal], 421–428, International Foundation for Autonomous Agents and Multiagent Systems, Richland, SC. Referred to on p. 22
- LAIRD, J. & DUCHI, J.C. (2000). Creating human-like synthetic characters with multiple skill levels. In *Proceedings of the AAAI 2000 Fall Symposium: Simulating Human Agents*, [November, North Falmouth, Massachusetts], AAAI Press, Menlo Park, California, USA. Referred to on p. 30
- LAZARUS, R. (1991). *Emotion and Adaptation*. Oxford University Press, New York, USA. Referred to on p. xix, xx, xxi, 27, 28, 31, 37, 52, 71, 72
- LAZARUS, R. (1994). Individual differences in emotion. In P. Ekman & R.J. Davidson, eds., *The Nature of Emotion: Fundamental Questions*, 332–336, Oxford University Press, New York, USA. Referred to on p. 9, 28, 35, 36
- LEDoux, J. (1996). *The Emotional Brain*. Simon and Schuster, New York, USA. Referred to on p. 53
- LIM, M.Y., AYLETT, R. & JONES, C.M. (2005). Emergent affective and personality model. In T. Panayiotopoulos, J. Gratch, R. Aylett, D. Ballin, P. Olivier & T. Rist, eds., *Proceedings of Intelligent Virtual Agents, 5th International Working Conference, (IVA 2005)*, [September, Kos, Greece], vol. 3661 of *Lecture Notes in Computer Science*, 371–380, Springer, Berlin, Germany. Referred to on p. 11, 50, 51, 52, 53, 55
- LIVINGSTONE, D. (2006). Turing's test and believable AI in games. *ACM Computers in Entertainment*, 4(1), 6. Referred to on p. 30

## REFERENCES

---

- MACINNES, W.J. (2004). Believability in multi-agent computer games: revisiting the turing test. In M. Tscheligi, ed., *CHI '04: CHI '04 Extended Abstracts on Human Factors in Computing Systems*, [April, Vienna, Austria], 1537–1537, ACM Press, New York, USA. Referred to on p. 30
- MATEAS, M. (1997). An Oz-centric review of interactive drama and believable agents. Technical Report Technical Report CMU-CS-97-156, Carnegie Mellon University, Pittsburgh, Pennsylvania, USA. Referred to on p. 3, 12, 29, 51, 55
- MATEAS, M. & STERN, A. (2002). Towards integrating plot and character for interactive drama. In K. Dautenhahn, A.H. Bond, L. Cañamero & B. Edmonds, eds., *Socially Intelligent Agents: Creating Relationships with Computers and Robots*, chap. 27, 221–228, Kluwer Academic Publishers, Norwell, Massachusetts, USA. Referred to on p. 44
- MATIGNON, L., LAURENT, G.J. & FORT-PIAT, N.L. (2006). Reward function and initial values: Better choices for accelerated goal-directed reinforcement learning. In S.D. Kollias, A. Stafylopatis, W. Duch & E. Oja, eds., *Artificial Neural Networks - ICANN 2006, 16th International Conference. Proceedings, Part I*, [September, Athens, Greece], vol. 4131 of *Lecture Notes in Computer Science*, 840–849, Springer, Berlin, Germany. Referred to on p. 57, 188
- MCCAULEY, T.L. (1999). *Implementing Emotions in Autonomous Agents*. Masters thesis, The University of Memphis, Memphis, Tennessee, USA. Referred to on p. 59
- MCCRAE, R.R. & JOHN, O.P. (1992). An introduction to the five-factor model and its applications. *Journal of Personality*, **60**, 175–215. Referred to on p. 12, 32
- MERRICK, K. & MAHER, M. (2006). Motivated reinforcement learning for non-player characters in persistent computer game worlds. In *ACE '06: Proceedings of the 2006 ACM SIGCHI International Conference on Advances in Computer Entertainment Technology*, [June, Hollywood, California, USA], 3, ACM, New York, USA. Referred to on p. 45, 46
- MINSKY, M. (1986). *The Society of Mind*. Simon and Schuster, New York, USA. Referred to on p. 11

- MOFFAT, D. (1997). Personality parameters and programs. In R. Trappl & P. Petta, eds., *Creating Personalities for Synthetic Actors: Towards Autonomous Personality Agents*, vol. 1195 of *Lecture Notes in Artificial Intelligence*, 120–165, Springer-Verlag, Germany. Referred to on p. 40
- MOON, Y. & NASS, C.I. (1996). Adaptive agents and personality change: complementarity versus similarity as forms of adaptation. In *CHI '96: Conference Companion on Human Factors in Computing Systems*, [April, Vancouver, British Columbia, Canada], 287–288, ACM Press, New York, USA. Referred to on p. 55
- MYERS, I.B. & MCCAULLEY, M.H. (1985). *Manual: A Guide to the Development and Use of the Myers-Briggs Type Indicator*. Consulting Psychologists Press, Palo Alto, California, USA. Referred to on p. 32
- NORLING, E. (2004). Folk psychology for human modelling: Extending the BDI paradigm. In *AAMAS '04: Proceedings of the Third International Joint Conference on Autonomous Agents and Multiagent Systems*, [July, New York, USA], 202–209, IEEE Computer Society, Washington, DC, USA. Referred to on p. 21
- NORMAN, T.J. (1994). Motivated goal and action selection. *Department of Computer Science, University College London*, (Research note: RN/94/32), presented at AISB workshop, Models or Behaviours-Which Way Forward for Robotics? Leeds, April 1994. Referred to on p. 25
- NORMAN, T.J. (1997). *Motivation-based direction of planning attention in agents with goal autonomy*. PhD thesis, Department of Computer Science, University College London. Referred to on p. 25, 26
- ORTONY, A. (2002). On making believable emotional agents believable. In R. Trappl, P. Petta & S. Payr, eds., *Emotions in Humans and Artifacts*, 189–212, MIT Press, Cambridge, Massachusetts, USA. Referred to on p. xx, 9, 28, 31, 35, 51, 71, 81
- ORTONY, A., CLORE, G.L. & COLLINS, A. (1988). *The Cognitive Structure of Emotions*. Cambridge University Press, USA. Referred to on p. 25, 27, 28
- ORTONY, A., NORMAN, D.A. & REVELLE, W. (2005). Affect and proto-affect in effective functioning. In J. Fellous & M. Arbib, eds., *Who Needs Emotions: The Brain*

## REFERENCES

---

- Meets the Machine*, 173–202, Oxford University Press, New York, USA. Referred to on p. 31, 32
- PADGHAM, L. & WINIKOFF, M. (2004). *Developing Intelligent Agent Systems: A Practical Guide*. Wiley and Sons, West Sussex, England. Referred to on p. 21, 23
- PARUNAK, H.V., BRUECKNER, S.A., SAUTER, J.A. & MATTHEWS, R. (2005). Global convergence of local agent behaviors. In *The Fourth International Joint Conference on Autonomous Agents and Multi Agent Systems (AAMAS 2005)*, [July, Utrecht, Netherlands], 305–312, ACM, New York, USA. Referred to on p. 53
- PARUNAK, H.V., BISSON, R., BRUECKNER, S., MATTHEWS, R. & SAUTER, J. (2006). A model of emotions for situated agents. In *Proceedings of AAMAS '06: Automous Agents and Multi-Agent Systems*, [May, Hakodate, Hokkaido, Japan], 993–995, ACM, New York, USA. Referred to on p. 52
- PERVIN, L.A., CERVONE, D. & JOHN, O.P. (2005). *Personality: Theory and Research*. John Wiley & Sons, Hoboken, New Jersey, USA, 9th edn. Referred to on p. 32
- PHARES, E.J. & CHAPLIN, W.F. (1997). *Intoduction to Personality*. Addison-Wesley Educational Publishers, New York, USA, 4th edn. Referred to on p. 35, 90
- PICARD, R.W. (1997). *Affective Computing*. MIT Press, Cambridge, Massachusetts, USA. Referred to on p. 57, 59, 64
- PISAN, Y. (2000). Building characters: A form of knowledge acquisition. In *AAAI 2000 Spring Symposium on Artificial Intelligence and Interactive Entertainment*, [March, Stanford], AAAI Press, Menlo Park, California, USA. Referred to on p. 46
- PONSEN, M., SPRONCK, P. & TUYLS, K. (2006a). Hierarchical reinforcement learning in computer games. In A. Nowé & M. Peeters, eds., *Proceedings of ALAMAS'06 Adaptive Learning Agents and Multi-Agent Systems*, [April, Vrije Universiteit, Brussels, Belgium], 49–60, Springer, Berlin, Germany. Referred to on p. 47, 48, 49, 50, 90, 125, 187

- 
- PONSEN, M., SPRONCK, P. & TUYLS, K. (2006b). Hierarchical reinforcement learning with deictic representation in a computer game. In P.Y. Schobbens, W. Vanhoof & G. Schwanen, eds., *Proceedings of the 18th Belgium-Netherlands Conference on Artificial Intelligence (BNAIC 2006)*, [October, University of Namur, Belgium], 251–258, BNAIC, The Netherlands. Referred to on p. 48, 49
- PONSEN, M., SPRONCK, P., NOZ AVILA, H.M. & AHA, D.W. (2007). Knowledge acquisition for adaptive game AI. *Science of Computer Programming*, **67**(1), 59–75. Referred to on p. 47, 48, 49
- PRADA, R. & PAIVA, A. (2005). Believable groups of synthetic characters. In *Proceedings of the Fourth International Joint Conference on Autonomous Agents and Multi Agent Systems (AAMAS 2005)*, [July, Utrecht, Netherlands], 37–43, ACM-SIGART, New York, USA. Referred to on p. 41, 50
- RABIN, S. (2008). Preface. In S. Rabin, ed., *AI Game Programming Wisdom 4*, ix–xi, Charles River Media, (Course Technology: Cengage Learning), Massachusetts, USA. Referred to on p. 45
- RAO, A.S. & GEORGEFF, M.P. (1995). BDI agents: From theory to practice. In *Proceedings of the 1st International Conference on Multi-Agent Systems (ICMAS'95)*, [June, San Francisco, California, USA], 312–319, MIT Press, Cambridge, Massachusetts, USA. Referred to on p. 21, 22, 23
- REHM, M. & ANDRÉ, E. (2005). Catch me if you can - exploring lying agents in social settings. In *Proceedings of the Fourth International Joint Conference on Autonomous Agents and Multi Agent Systems (AAMAS 2005)*, [July, Utrecht, Netherlands], 937–944, ACM-SIGART, New York, USA. Referred to on p. 41
- ROUSSEAU, D. & HAYES-ROTH, B. (1997). Interacting with personality-rich characters. Technical Report KSL 97-06, Stanford University, Palo Alto, California, USA. Referred to on p. 29, 30, 51, 55
- ROUSSEAU, D. & HAYES-ROTH, B. (1998). A social-psychological model for synthetic actors. In *AGENTS '98: Proceedings of the Second International Conference on Autonomous Agents*, [May, Minneapolis, Minnesota, United States], 165–172, ACM Press, New York, USA. Referred to on p. 52, 55, 90

## REFERENCES

---

- RUSSELL, A. (2008). Situationist game AI. In S. Rabin, ed., *AI Game Programming Wisdom 4*, 3–15, Charles River Media, (Course Technology: Cengage Learning), Massachusetts, USA. Referred to on p. 13, 41, 42
- RUSSELL, S.J. & NORVIG, P. (2003). *Artificial Intelligence: A Modern Approach*. Prentice Hall, New Jersey, USA, 2nd edn. Referred to on p. 39
- RUTTKAY, Z., DORMANN, C. & NOOT, H. (2002). Evaluating ECAs - what and how? In *Proceedings of Embodied Conversational Agents Workshop*, [July, Bologna, Italy], The First International Joint Conference on Autonomous Agents and Multi-Agent Systems (AAMAS 2002), ACM Press, New York, USA. Referred to on p. 29, 189
- SANCHEZ, S., BALET, O., LUGA, H. & DUTHEN, Y. (2004). Autonomous virtual actors. In S. Göbel, U. Spierling, A. Hoffmann, I. Iurgel, O. Schneider, J. Dechau & A. Feix, eds., *Technologies for Interactive Digital Storytelling and Entertainment, Second International Conference, TIDSE 2004*, [June, Darmstadt, Germany], vol. 3105 of *Lecture Notes in Computer Science*, 68–78, Springer, Berlin, Germany. Referred to on p. 37, 56, 58, 125
- SANCHEZ-CRESPO, D. (2005). Tutorial: Machine learning. *Gamasutra*, <http://www.gamasutra.com/gdc2005/features/20050307/postcard-sanchez-crespo.htm>. Referred to on p. 45
- SANDERCOCK, J. (2004). Lessons learnt for the construction of military simulators: A comparison of artificial intelligence with human-controlled actors. Technical Report DSTO-TR-1614, Defence Science Technology Organisation (DSTO), Melbourne, Australia. Referred to on p. 30
- SANDERCOCK, J., PAPASIMEON, M. & HEINZE, C. (2004). An agent, a Bot and a CGF walk into a bar... In *Proceedings of SimTecT 2004*, [May], Canberra, Australia. Referred to on p. 29
- SANDERCOCK, J., PADGHAM, L. & ZAMBETTA, F. (2006). Creating adaptive and individual personalities in many characters without handcrafting behaviors. In J. Gratch, M. Young, R. Aylett, D. Ballin & P. Olivier, eds., *Proceedings of Intelligent Virtual*

- Agents, 6th International Conference, IVA 2006*, [August, Marina Del Rey, California, USA], vol. 4133 of *Lecture Notes in AI*, 357–368, Springer, Berlin, Germany. Referred to on p. 103
- SATO, I. (2008). Context-aware agents to guide visitors in museums. In H. Prendinger, J. Lester & M. Ishizuka, eds., *Proceedings of 8th International Conference on Intelligent Virtual Agents (IVA 2008)*, [September, Tokyo, Japan], vol. 5208 of *Lecture Notes in Artificial Intelligence*, 441–455, Springer Berlin / Heidelberg, Berlin, Germany. Referred to on p. 56
- SCHEUTZ, M. & RÖMMER, B. (2001). Autonomous avatars? from users to agents and back. In A. de Antonio, R. Aylett & D. Ballin, eds., *Third International Workshop, IVA 2001*, [September, Madrid, Spain], vol. 2190/2001 of *Lecture Notes in Computer Science*, 61–71, Springer Berlin/Heidelberg, Berlin, Germany. Referred to on p. 55, 56
- SEIF EL-NASR, M., IOERGER, T.R. & YEN, J. (1998). Learning and emotional intelligence in agents. In *Proceedings of AAAI Fall Symposium on Emotional Intelligence*, [October, Orlando, Florida, USA], AAAI Press, Menlo Park, California, USA. Referred to on p. 28, 38, 50
- SEIF EL-NASR, M., IOERGER, T.R. & YEN, J. (1999). PETEEI: a PET with evolving emotional intelligence. In *AGENTS '99: Proceedings of the Third Annual Conference on Autonomous Agents*, [May, Seattle, Washington, USA], 9–15, ACM Press, New York, USA. Referred to on p. 29, 54, 57, 125
- SELVARAJAH, K. & RICHARDS, D. (2005). The use of emotions to create believable agents in a virtual environment. In *Proceedings of the Fourth International Joint Conference on Autonomous Agents and Multi Agent Systems (AAMAS 2005)*, [July, Utrecht, Netherlands], 13–20, ACM-SIGART, New York, USA. Referred to on p. 50
- SI, M., MARSELLA, S.C. & PYNADATH, D.V. (2005). Thespian: Using multi-agent fitting to craft interactive drama. In *Proceedings of the Fourth International Joint Conference on Autonomous Agents and Multi Agent Systems (AAMAS 2005)*, [July, Utrecht, Netherlands], 21–28, ACM-SIGART, New York, USA. Referred to on p. 50

## REFERENCES

---

- SILVA, D.R.D., SIEBRA, C.A., VALADARES, J.L.F., ALMEIDA, A.L., FRERY, A.C. & RAMALHO, G.L. (1999). Personality-centered agents for virtual computer games. In *Proceedings of Virtual Agents 99, Workshop on Intelligent Virtual Agents*, [September, Salford, UK], ACM, New York, USA. Referred to on p. 42
- SILVERMAN, B.G. & BHARATHY, G.K. (2005). Modeling the personality and cognition of leaders. In *Behavior Representation in Modeling and Simulation (BRIMS)*, [May, Universal City, California, USA], SISO (IEEE), Orlando, Florida, USA. Referred to on p. 53, 55, 57
- SMITH, H. (1999). Designing enemies with distinct functions. *Gamasutra*, [http://www.gamasutra.com/features/19990409/enemies\\_01.shtml](http://www.gamasutra.com/features/19990409/enemies_01.shtml). Referred to on p. 43
- SOLLENBERGER, D.J. & SINGH, M.P. (2009). Architecture for affective social games. In *Proceedings of the 1st AAMAS Workshop on Agents for Games and Simulation (AGS)*, [May, Budapest, Hungary], ACM, New York, USA. Referred to on p. 41
- SPRONCK, P., PONSEN, M., SPRINKHUIZEN-KUYPER, I. & POSTMA, E. (2006). Adaptive game AI with dynamic scripting. *Machine Learning*, **63**(3), 217–248. Referred to on p. 41, 42, 47, 48, 49
- STRAUSS, M. & KIPP, M. (2008). ERIC: a generic rule-based framework for an affective embodied commentary agent. In Padgham, Parkes, Müller & Parsons, eds., *AAMAS '08: Proceedings of the 7th International Joint Conference on Autonomous Agents and Multiagent Systems*, [May, Estoril, Portugal], 97–104, International Foundation for Autonomous Agents and Multiagent Systems, Richland, South Carolina, USA. Referred to on p. 54
- STUART, K. (2007). Artists climb the uncanny valley. [http://blogs.guardian.co.uk/games/archives/2007/08/08/artists\\_climb\\_the\\_uncanny\\_valley.html](http://blogs.guardian.co.uk/games/archives/2007/08/08/artists_climb_the_uncanny_valley.html). Referred to on p. 3
- SUTTON, R. & BARTO, A. (1998). *Reinforcement Learning an Introduction*. The MIT Press, Cambridge, Massachusetts, USA. Referred to on p. xxiii, 19, 39, 40, 84, 94, 97, 121



- TAYLOR, G. (1995). *Animation of Believable Intelligent Agents*. Masters thesis, RMIT University. Referred to on p. 51
- THANGARAJAH, J., PADGHAM, L. & HARLAND, J. (2002). Representation and reasoning for goals in BDI agents. In M.J. Oudshoorn, ed., *Computer Science 2002, Twenty-Fifth Australasian Computer Science Conference (ACSC2002)*, [January/February, Monash University, Melbourne, Victoria, Australia], vol. 4 of *CRPIT*, 259–265, Australian Computer Society, Sydney, Australia. Referred to on p. 22
- THEUNE, M., RENSEN, S., OP DEN AKKER, R., HEYLEN, D. & NIJHOLT, A. (2004). Emotional characters for automatic plot creation. In S. Göbel, U. Spierling, A. Hoffman, I. Iurgel, O. Schneider, J. Dechau & A. Feix, eds., *Technologies for Interactive Digital Storytelling and Entertainment, Second International Conference, TIDSE 2004*, [June, Darmstadt, Germany], vol. 3105 of *Lecture Notes in Computer Science*, 95–100, Springer, Berlin, Germany. Referred to on p. 17, 50, 51, 56
- TRAUM, D., SWARTOUT, W., GRATCH, J. & MARSELLA, S. (2005). Virtual humans for non-team interaction training. In E. André, C. Pelachaud, S. Kopp & Z. Ruttkay, eds., *Proceedings of the Workshop on Creating Bonds with Embodied Conversational Agents (Humanoids)*, [July, Utrecht, Netherlands], The Fourth International Joint Conference on Autonomous Agents and Multi Agent Systems (AAMAS 2005), 70–75. Referred to on p. 50
- TURING, A.M. (1950). Computer machinery and intelligence. *Mind*, **59**, 433–460. Referred to on p. 30, 190
- ULICNY, B. & THALMANN, D. (2002). Towards interactive real-time crowd behaviour simulation. *Computer Graphics Forum*, **21**(4), 767–775. Referred to on p. 42, 43
- VAN RIEMSDIJK, M.B., DASTANI, M. & WINIKOFF, M. (2008). Goals in agent systems: A unifying framework. In Padgham, Parkes, Müller & Parsons, eds., *Proceedings of 7th International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2008)*, [May, Estoril, Portugal], 713–720, ACM, New York, USA. Referred to on p. 24

## REFERENCES

---

- VELÁSQUEZ, J.D. (1998). A computational framework for emotion-based control. In D. Cañamero, C. Numaoka & P. Petta, eds., *From Animals to Animats: Fifth International Conference of the Society for Adaptive Behavior (SAB'98). Workshop on Grounding Emotions in Adaptive Systems*, [August, Zürich, Switzerland], International Society for Adaptive Behavior (ISAB), Massachusetts, USA. Referred to on p. 57, 59, 81
- VENTURA, R. & PINTO-FERREIRA, C. (1999). Emotion-based agents: Three approaches to implementation. In J.D. Velsquez, ed., *Workshop on Emotion-Based Agent Architectures. Workshop of the Third International Conference on Autonomous Agents.*, [May, Seattle, Washington, USA], ACM Press, New York, USA. Referred to on p. 59, 60
- WALLIS, P. (2005). Believable conversational agents: Introducing the intention map. In E. André, C. Pelachaud, S. Kopp & Z. Ruttkay, eds., *Proceedings of the Workshop on Creating Bonds with Embodied Conversational Agents (Humanoids)*, [July, Utrecht, Netherlands], The Fourth International Joint Conference on Autonomous Agents and Multi Agent Systems (AAMAS 2005), 62–69. Referred to on p. 56
- WILSON, I. (1999). Artificial emotion: Simulating mood and personality. *Gamasutra*, [http://www.gamasutra.com/features/19990507/artificial\\_emotion\\_01.htm](http://www.gamasutra.com/features/19990507/artificial_emotion_01.htm). Referred to on p. 42
- WILSON, I. (2000). The artificial emotion engine: Driving emotional behavior. In *AAAI 2000 Spring Symposium on Artificial Intelligence and Interactive Entertainment*, [March, Stanford], 76–80, AAAI Press, Menlo Park, California, USA. Referred to on p. 54, 55
- YINGYING, D., YAN, H. & JING-PING, J. (2002). Self-organizing multi-robot system based on personality evolution. In *2002 IEEE International Conference on Systems, Man and Cybernetics*, [November, Beijing, China], vol. 5, 4, IEEE Computer Society, Washington, DC, USA. Referred to on p. 50, 52, 53
- YOON, S.Y., BLUMBERG, B.M. & SCHNEIDER, G.E. (2000). Motivation driven learning for interactive synthetic characters. In *Proceedings of 4th International Confer-*

## REFERENCES

---

*ence on Autonomous Agents*, [June, Barcelona, Spain], 365–372, ACM Press, New York, USA. Referred to on p. 38, 55, 56, 61, 62, 63, 64

ZHENG, J., YUAN, X. & CHEE, Y.S. (2005). Designing multiparty interaction support in Elva, an embodied tour guide. In *Proceedings of the Fourth International Joint Conference on Autonomous Agents and Multi Agent Systems (AAMAS 2005)*, [July, Utrecht, Netherlands], 929–936, ACM-SIGART, New York, USA. Referred to on p. 50